

HD 8 VV



The configured machine may differ from the machine illustrated.

HD 8 VV Tandem roller with two vibrating roller drums

- ▶ Optimum front view due to concaving front end
- ▶ Modern instrument panel
- ▶ Low machine height
- ▶ 3-point swivel joint for optimum driving comfort
- ▶ Central suspension point
- ▶ Clear Side — one-sided drum suspension
- ▶ Low working platform, high stability

Max. working width	856 mm
Drum width, front/rear	800/800 mm
Operating weight with ROPS	1580 kg
Power rat. ISO 14396, kW/PS/rpm	14,8/20,1/2700
Amplitude, front, I/II	0,50/0,50 mm
Amplitude, rear, I/II	0,50/0,50 mm
Centrifugal force, front, I/II	25/16 kN
Centrifugal force, rear, I/II	25/16 kN



Machine equipment

Pos.	Material No.	Description
0010		<p>HD 8 VV Tandem roller with two vibrating roller drums</p> <p>Operating weight 1580 kg Hydraulic/mechanical driving control Continuous engine speed pre-selection (with intermediate detent): 0 - 11,0 km/h Vibratory drum, single-piece, with two amplitudes Drum width 800/800 mm Drum diameter 620/620 mm Diesel engine KUBOTA D1005 Power rat. DIN/ISO3046IFN kW/PS/rpm 14,8/20,1/2700 Water cooling with extraction ventilation Electronic diesel pump On-board voltage 12 V Battery 12/70 V/Ah Emission standard EPA Tier 4</p> <p>Drive Hydrostatic drive Travel pump with emergency stop Drum drive with wheel-hub motor Spring-loaded brake</p> <p>Steering Hydrostatic steering via three-point oscillation/swivel joint Oscillation angle 8 ° Steering angle 33 °</p> <p>Instrument panel with displays and indicator lights, lockable and weather-tight Battery isolating switch Centrally decoupled driver stand with access on both sides GRP bonnet Central lifting bracket Rigid ROPS Water sprinkler system with additional foot pedal</p>

Machine equipment

Pos.	Material No.	Description
0020	2036467	Standard paint (RAL 2004 + RAL 7015) RAL 2004: chassis RAL 7015: cab or ROPS, drum interior (plastic tanks and hoods in black or grey).

* Subject to change



0030	2095424	Version with CE conformity The CE mark indicates that the machine conforms to the appropriate EU directives. The CE mark on the machine is part of the identification plate. An EC Declaration of Conformity is provided separately from other documentation.
------	---------	--

0040	2302582	Warning labels according to DIN/ISO Labels attached to the machine warn of possible hazards. The warning labels are created as per DIN/ISO regulations and contain a combination of pictograms.
------	---------	---



Machine equipment

Pos.	Material No.	Description
0050	2059560	ROPS, foldable ROPS, foldable, with handrails ROPS is a protective structure for the driver. It comprises additional reinforcing frame elements.



0060	2236616	Plastic scraper, rigid Soil and asphalt material and other contaminants are removed. The scrapers always lie on the drums.
------	---------	--



Machine equipment

Pos.	Material No.	Description
0070	2036468	Driver seat in black imitation leather Equipment - Weight adjustment - Seat forward/back adjustment - Seat belt - Seat contact switch



0080	2059563	Lighting package as per road traffic regulations Attachment of dipped-beam headlamps, tail lights, front and rear flashing lights, reversing lights and rear reflectors.
------	---------	---



0090	2036470	Hydraulic oil High-quality, multi-grade hydraulic oil featuring a high viscosity index value for optimum wear protection.
0100	2478579	English spare parts and application documentation (EN) One set of manuals in English, consisting of the following: - Parts and More Catalogue - Parts and More Compact Lubricants and Filters - Parts and More Compact Drum Parts and - Check booklet.

Machine equipment

Pos.	Material No.	Description
0110	2478428	Technical documentation – UK country version (GB) One set of manuals in English, consisting of the following: <ul style="list-style-type: none">- Operating manual- Safety manual- Brief operating instructions- Quick transport guide- Spare parts catalogue- Engine operating manual- Engine spare parts catalogue and- WIDOS Basic DVD
0120	2059810	Back-up alarm Acoustic warning unit for warning bystanders when reversing. The sound level remains unchanged.
0130	2080151	Rotating beacon on ROPS, halogen Auxiliary warning unit in the form of a yellow flashing light with 360 ° beam angle. Yellow light increases visibility and thus safety.
		
0140	2209127	Hydraulic oil tank cover, lockable Vandalism and theft protection including effective protection against misfuelling. A special key is required to open the locking device.

Machine equipment

Pos.	Material No.	Description
0150	2074233	Sound insulation Reduction of the noise levels by cladding the bonnet with sound-insulating material.



0160	2091752	V-belt protection Additional metal cover above the V-belt for protection from the hazard of shearing and crushing.
------	---------	---



0170	2233390	Lifting lug, front Additional aid for securing the machine on steep slopes (e.g. in landfill construction) or in case of recovery.
------	---------	---



Machine equipment

Pos.	Material No.	Description
0180	818585	Tool kit Imitation leather bag with toolkit.



0190		Country of operation United Kingdom
0200	2074239	Version without track offset Working width cannot be extended by moving the rear drum to the left or right

Totals

Quotation price £ 23,000.00

The above price excludes VAT.

VAT

The above price excludes VAT

Part exchange Machine detail

Terms of delivery

DELIVERED TO FOX BROTHERS

Terms of Payment

In full prior to delivery / collection.